


# "HD" HOSES

## "HD" HOSES

Reinforced HEAVY DUTY hose with low permeability barrier and wear-resistant coating SAE J2196 - SAE J2888 - SAE J2064

In addition to the models mentioned below, hoses of any length and with any type of connection can be delivered.



### Technical features

In accordance with	SAE J2196/R134a - SAE J2888/R1234yf - SAE J2064/R134a
Working pressure	5,2 MPa
Bursting pressure	27,6 MPa
Internal Ø	1/4"
Working temperature	-30 +125°C



### Connections on demand

1/2"-16ACME x 1/2"-16ACME
1/2"-16ACME x M14 x 1.5
M12x1.5 x M12x1.5

5/16"



Kit of 3 flexible hoses with intermediate valve, connections straight x 45° with depressor with blister

Code	Model	Length	Connections	Dimensions	Weight
06010016	3HDSA/5-5/32V4/BRY	900 mm	5/16" SAE	250 x 250 x 50 mm	0,8 kg
06010010	3HDSA/5-5/56V4/BRY	1500 mm	5/16" SAE	250 x 250 x 50 mm	0,8 kg

5/16"



Kit of 3 flexible hoses, connections straight x 45° with depressor with blister

Code	Model	Length	Connections	Dimensions	Weight
06010017	3HDSA/5-5/36/BRY	900 mm	5/16" SAE	250 x 250 x 50 mm	0,8 kg
06010018	3HDSA/5-5/60/BRY	1500 mm	5/16" SAE	250 x 250 x 50 mm	0,8 kg

1/4"



Kit of 3 flexible hoses, connections straight x 45° with depressor with blister

Code	Model	Length	Connections	Dimensions	Weight
06010015	3HDSA/4-4/32V4/BRY	900 mm	1/4" SAE	250 x 250 x 50 mm	0,8 kg
06010011	3HDSA/4-4/56V4/BRY	1500 mm	1/4" SAE	250 x 250 x 50 mm	0,8 kg

1/4"



Kit of 3 flexible hoses, connections straight x 45° with depressor with blister

Code	Model	Length	Connections	Dimensions	Weight
06010005	3HDSA/4-4/36/BRY	900 mm	1/4" SAE	250 x 250 x 50 mm	0,8 kg
06010003	3HDSA/4-4/48/BRY	1200 mm	1/4" SAE	250 x 250 x 50 mm	0,8 kg
06010004	3HDSA/4-4/60/BRY	1500 mm	1/4" SAE	250 x 250 x 50 mm	0,8 kg
06010002	3HDSA/4-4/72/BRY	1800 mm	1/4" SAE	250 x 250 x 50 mm	0,8 kg

## Flexible hose with intermediate valve, connections straight x 45° with depressor

Code	Model	Length	Connections	Dimensions	Weight
06002084	HDSA/5-5/32V4	900 mm	5/16" SAE	250 x 250 x 50 mm	0,3 kg
06002022	HDSA/5-5/56V4	1500 mm	5/16" SAE	250 x 250 x 50 mm	0,3 kg
06002083	HDSA/5-5/68V4	1800 mm	5/16" SAE	250 x 250 x 50 mm	0,3 kg
06002070	HDSA/4-4/32V4	900 mm	1/4" SAE	250 x 250 x 50 mm	0,3 kg
06002023	HDSA/4-4/56V4	1500 mm	1/4" SAE	250 x 250 x 50 mm	0,3 kg
06002057	HDSA/4-4/68V4	1800 mm	1/4" SAE	250 x 250 x 50 mm	0,3 kg

For colour choice, add to the end of the code:



## Flexible hose, connections straight x 45° with depressor

Code	Model	Length	Connections	Dimensions	Weight
06002085	HDSA/5-5/36	900 mm	5/16" SAE	250 x 250 x 50 mm	0,3 kg
06002086	HDSA/5-5/60	1500 mm	5/16" SAE	250 x 250 x 50 mm	0,3 kg
06002097	HDSA/5-5/72	1800 mm	5/16" SAE	250 x 250 x 50 mm	0,3 kg
06002008	HDSA/4-4/36	900 mm	1/4" SAE	250 x 250 x 50 mm	0,3 kg
06002004	HDSA/4-4/60	1500 mm	1/4" SAE	250 x 250 x 50 mm	0,3 kg
06002001	HDSA/4-4/72	1800 mm	1/4" SAE	250 x 250 x 50 mm	0,3 kg

For colour choice, add to the end of the code:



## Flexible hose with final valve, connections straight x straight with depressor

Code	Model	Length	Connections	Dimensions	Weight
06007089	V/HDSS/5-5/36	900 mm	5/16" SAE	250 x 250 x 50 mm	0,4 kg
06007078	V/HDSS/5-5/60	1500 mm	5/16" SAE	250 x 250 x 50 mm	0,4 kg
06007098	V/HDSS/5-5/72	1800 mm	5/16" SAE	250 x 250 x 50 mm	0,4 kg
06007012	V/HDSS/4-4/36	900 mm	1/4" SAE	250 x 250 x 50 mm	0,4 kg
06007013	V/HDSS/4-4/60	1500 mm	1/4" SAE	250 x 250 x 50 mm	0,4 kg
06007014	V/HDSS/4-4/72	1800 mm	1/4" SAE	250 x 250 x 50 mm	0,4 kg
06007022	V/HDSS/6-6/36	900 mm	3/8" SAE	250 x 250 x 50 mm	0,4 kg
06007023	V/HDSS/6-6/60	1500 mm	3/8" SAE	250 x 250 x 50 mm	0,4 kg
06007024	V/HDSS/6-6/72	1800 mm	3/8" SAE	250 x 250 x 50 mm	0,4 kg

For colour choice, add to the end of the code:



3/8 hoses without depressor.

## Flexible hoses, Connections staright x staright

Code	Model	Length	Connections	Dimensions	Weight
06001184	HDSS/5-5/36	900 mm	5/16" SAE	250 x 250 x 50 mm	0,8 kg
06001182	HDSS/5-5/60	1500 mm	5/16" SAE	250 x 250 x 50 mm	0,8 kg
06001185	HDSS/5-5/72	1800 mm	5/16" SAE	250 x 250 x 50 mm	0,8 kg
06001017	HDSS/4-4/36	900 mm	1/4" SAE	250 x 250 x 50 mm	0,8 kg
06001011	HDSS/4-4/60	1500 mm	1/4" SAE	250 x 250 x 50 mm	0,8 kg
06001014	HDSS/4-4/72	1800 mm	1/4" SAE	250 x 250 x 50 mm	0,8 kg
06001024	HDSS/6-6/36	900 mm	3/8" SAE	250 x 250 x 50 mm	0,8 kg
06001026	HDSS/6-6/60	1500 mm	3/8" SAE	250 x 250 x 50 mm	0,8 kg
06001027	HDSS/6-6/72	1800 mm	3/8" SAE	250 x 250 x 50 mm	0,8 kg

For colour choice, add to the end of the code:



3/8 hoses without depressor.

## "HD" HOSES



For colour choice, add to the end of the code:



### Flexible hoses, Connections straight x 90° with depressor

Code	Model	Length	Connections	Dimensions	Weight
06003130	HDSL/5-5/36	900 mm	5/16" SAE	250 x 250 x 50 mm	0,8 kg
06003131	HDSL/5-5/60	1500 mm	5/16" SAE	250 x 250 x 50 mm	0,8 kg
06003132	HDSL/5-5/72	1800 mm	5/16" SAE	250 x 250 x 50 mm	0,8 kg
06003011	HDSL/4-4/36	900 mm	1/4" SAE	250 x 250 x 50 mm	0,8 kg
06003005	HDSL/4-4/60	1500 mm	1/4" SAE	250 x 250 x 50 mm	0,8 kg
06003003	HDSL/4-4/72	1800 mm	1/4" SAE	250 x 250 x 50 mm	0,8 kg

For colour choice, add to the end of the code:



### Flexible hoses with male valve, connections straight x 45° with depressor

Code	Model	Length	Connections	Dimensions	Weight
06008006	V/HDSA/4M-4/6	150 mm	1/4" SAE	250 x 250 x 50 mm	0,2 kg

For colour choice, add to the end of the code:



### Flexible hoses, connections 1/4"SAE F 90° x 1/4"SAE M with depressor

Code	Model	Length	Connections	Dimensions	Weight
06003020	HDSL/4M-4/6	150 mm	1/4" SAE	250 x 250 x 50 mm	0,2 kg
06003022	HDSL/4M-4/12	300 mm	1/4" SAE	250 x 250 x 50 mm	0,2 kg
06003076	HDSL/4M-4/24	600 mm	1/4" SAE	250 x 250 x 50 mm	0,2 kg



## Spare parts and accessories for HD and GY



Ref	Code	Model	Description	
A	14020014001	G19020	Kit (10 pcs) gaskets for 1/4"SAE, 1/2"-16ACME in NBR	10
	14020048001	G19516	Kit (10 pcs) gaskets for 5/16"SAE	10
B	14023001001	D19302	Kit (10pcs) valve openers for 1/4" SAE and 5/16" SAE hoses	10
C	14020015001	G19030	Kit (10 pcs) gaskets for 3/8" SAE hoses	10
D	14020071001	G19020/T	kit (10pcs) PTFE gaskets for 1/4" SAE, 1/2"-16ACME hoses	10
E	08008059	LOCK-VALVE-CARE	Gaskets easy replacement tool for LOCK-VALVE, EW and flexible hoses	-
F	08008065	LOCK-VALVE-CARE-WIG	Counter display with 10 pcs of LOCK-VALVE-CARE	10